

SECTION 1 – IDENTIFICATION**Chemical Name & Symbol:** N/A**Trade Names & Synonyms:** Strip-N-Go**Product No.:** CH047**Suppliers Name:** Lonestar Maintenance Chemicals**Emergency Phone:** 1-800-721-2448**Address:** P.O. Box 209, Buna TX 77612**SECTION 2 – COMPOSITION/INFORMATION ON INGREDIENTS**

Component	Hazard	CAS#	OSHA PEL	ACGIH TVL	%
Water		7732-18-5			>40
Monoethanolamine	Corrosive	141-43-5	3 ppm	3 ppm	<5
*2-Butoxyethanol	Combustible	111-76-2	25 ppm	25 ppm	<50
Glycol Ether	Combustible	1569-01-3	N/A	N/A	<5
Sodium Xylene Sulfonate	Irritant	1300-72-7	N/A	N/A	<5

SECTION 3 – HAZARD IDENTIFICATION

Statement of Hazards: Danger: Causes eye and skin irritation. Corrosive liquid. Overexposure may cause irritation and burning of affected areas. **Fire and Explosion Hazards:** This product is water based and represents little or no fire hazard at room temperature. Elevated temperatures may generate small quantities of combustible vapors, especially in enclosed spaces. Thermal decomposition products may include carbon monoxide, carbon dioxide and nitrogen oxides. **Primary Route of Exposure:** Skin and eye contact are the principal routes of exposure to this product. **Skin Contact – ACUTE:** Skin contact can cause irritation or burns with possible redness, swelling or blistering. Severity of action is highly dependent on contact time. **Eye Contact – ACUTE:** Eye contact may cause irritation or burns. May cause permanent eye damage, if not promptly flushed with plenty of water. **Ingestion – ACUTE:** If swallowed, this product may cause irritation or damage of mucosal linings of the mouth, throat, esophagus or stomach. **Inhalation – ACUTE:** Inhalation can cause irritation and burning of respiratory passages.

Carcinogenicity: IARC – No NTP – No OSHA – No ACGIH – No**SECTION 4 – FIRST-AID MEASURES**

Skin Contact: Immediately remove contaminated shoes and clothing. Wash skin with soap and plenty of water for 15 minutes. Do not attempt to neutralize with chemical agents. Get medical attention. Wash contaminated clothing before reuse. **Eye Contact:** Immediate first aid is required to prevent eye damage. Flush immediately with water and remove contact lenses, if applicable. Then flush with large quantities of running water for 15 minutes. Hold eyelids apart during flushing to ensure complete rinsing of entire surface of eye and lids with water. Do not attempt to neutralize with chemical agents. Get medical attention immediately. Continue flushing with water if physician is not immediately available. **Ingestion:** Rinse mouth with water. Then give 1-2 glasses of water or milk and call a physician or poison control center immediately. If vomiting occurs, keep head below hips to reduce risk of aspiration. Give water again. NEVER give anything by mouth to a person who is unconscious or convulsing. Get medical attention immediately. **Inhalation:** Remove victim to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. **Medical Conditions Aggravated:** No data is available that addresses medical conditions that are generally recognized as being aggravated by exposure to this product. **Note to Physician:** Treat exposed patients symptomatically.

SECTION 5 – FIRE FIGHTING MEASURES

Flash Point (Method)	192°F (TCC)
Flammable Limits	Not determined
Extinguishing Media	Use water spray, dry chemical, carbon dioxide or foam extinguishing agents unless contraindicated by surrounding environment.
Special Fire Fighting Procedures	Prevent human exposure to fire, smoke, fumes or products of combustion. Evacuate non-essential personnel from the area. All ignition sources should be extinguished. Fire fighters should wear appropriate protective equipment, including self contained breathing apparatus and impervious clothing. Keep containers cooled with water spray to prevent rupture from excess heat.
Fire and Explosion Hazards	No unusual fire or explosion hazards of this product are known
Hazardous Products	Thermal decomposition of this product may generate oxides of carbon and nitrogen

SECTION 6 - ACCIDENTAL RELEASE MEASURES

Caution: Ventilate area immediately. If spilled, floors may be extremely slippery. Wear appropriate protective gear to avoid skin or eye contact. Extinguish all ignition sources. Dike and contain spill with inert material (sand, clay). Transfer liquid and solids to separate containers for recovery or proper disposal. Keep spill out of storm sewers and open bodies of water. After removal, flush area with water. Follow good industrial hygiene practices. Wash thoroughly after clean-up. If uncertain about proper disposal, contact your local waste disposal provider or the regional office of the Environmental Protection Agency for guidance.

SECTION 7 - HANDLING AND STORAGE

Handling: Avoid contact with skin or eyes. Avoid breathing vapor, spray or mist. Use product only according to label directions. If unsure about safe use, contact your supervisor immediately. Wash with soap and water after handling. **Storage:** Store in original container in a cool, dry, well ventilated area away from sources of ignition. Store away from food or feed. Containers should be kept tightly closed when not in use. Keep in an area inaccessible to small children.

SECTION 8 - EXPOSURE CONTROLS/PERSONAL PROTECTION**Personal Protective Equipment:**

Respiratory Respiratory protection is not expected to be necessary under normal conditions of use. Where exposure cannot be adequately controlled by general or local ventilation, use appropriate respiratory protection to prevent over exposure. An approved dust/mist respirator would be recommended.

Gloves Use water impervious gloves, such as latex or neoprene rubber.

Eye Protection Chemical resistant goggles or face shield are recommended.

Other Protective clothing (long sleeves, pants), eye wash, safety shower are always advisable when working with chemicals

Engineering Controls:

Ventilation In applications where sprays or mists may be generated, proper ventilation in accordance with good industrial hygiene should be provided

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

Form	Liquid	pH	13.0
Color	None	Specific Gravity	0.970
Odor	Clean	Solubility	Complete
Boiling Point	190 - 212° F	Freezing Point	32° F
Evaporation Rate	> Water	% Volatile	> 95%

SECTION 10 - STABILITY AND REACTIVITY

Stability: This product is stable at ambient temperatures and atmospheric pressures. It is not self-reactive and has a shelf life of at least one year under sealed conditions. Conditions to avoid are temperatures above 130° F or below 32° F. Do not mix with other chemicals. Hazardous conditions may arise from improper mixing of chemicals. **Hazardous Decomposition Products:** Thermal decomposition may generate toxic materials such as oxides of carbon or nitrogen. **Dangerous Polymerization:** Will not occur. Conditions to avoid. none. **Dangerous reactions:** May react with strong acids to give exothermic conditions.

SECTION 11 - TOXICOLOGICAL INFORMATION

Acute Toxicity: This product has not been evaluated for its acute toxicology profile. **Chronic Toxicity:** This product has not been evaluated for its chronic toxicology profile. **Carcinogenicity:** This product does not contain a listed carcinogen from NTP, ACGIH or IARC. **Irritation:** This product can be expected to be a skin and eye corrosive. No skin sensitization data is currently available.

SECTION 12 - ECOLOGICAL INFORMATION

Ecotoxicity: The ecological toxicity of this product is not known.

SECTION 13 - DISPOSAL CONSIDERATIONS

Waste Disposal: Material that cannot be used according to label direction and is destined for disposal should be disposed of in accordance with all applicable regulations. Empty containers should be triple rinsed and offered for recycling or reconditioning, or disposed of in a sanitary landfill or for small containers (1 gallon or less), may be wrapped and discarded in trash. Waste generators are required to evaluate all waste material to determine if it is hazardous by characteristics or listing for compliance with RCRA and any local disposal procedures and regulations. **NOTE:** State and local regulations may be more stringent than Federal regulations.

SECTION 14 - TRANSPORT INFORMATION

Proper Shipping Name	Corrosive Liquid (Contains Ethanolamine)	Hazard Class	8
Packing Group	III	ID Number	UN1760
DOT Label	Corrosive	Emergency Guide No.	60
Emergency Phone No.	1-800-721-2448		

SECTION 15 - REGULATORY INFORMATION

Toxic Substances Control Act (TSCA): All of the components intentionally added to this product are listed on the U.S. EPA TSCA inventory.

SARA Title III

Section 302: This product contains the following chemicals subject to SARA 302 reporting: None

SECTION 15 - REGULATORY INFORMATION - CONTINUED

Section 311/312: This product is classified as an "immediate (acute) health hazard".

Section 313: *Chemicals marked with an asterisk in **Section 2** are subject to the reporting requirements for Section 313 of the Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1985 and 40CFR Part 372. However, if this product is utilized for routine janitorial maintenance, it is exempted from this section, as stated in paragraph B.3.b Activity Exemptions of the Form R instructions.

OSHA Hazard Communication Standard (29 CFR 1910, 1200): This product is hazardous by definition of the Hazard Communication Standard.

Canada Domestic Substance List: All of the ingredients intentionally added to this product are listed on the DSL.

Canada WHMIS: Class E; Class B, Division 2D

NPCA Hazardous Material Identification System (HMIS Rating) :

Health **2** Flammability **2** Reactivity **0** Personal Protective Equipment **B**

State Regulations:

Pennsylvania/New Jersey/Massachusetts Right to Know

See "**Section Two Composition**" for listing of hazardous and top five ingredients present in concentration greater than 1%.

California Proposition 65: Components of this product which are present at a concentration which could require reporting under this statute are: None.

SECTION 16 - OTHER INFORMATION

The information presented herein, while not guaranteed, was prepared by competent technical personnel and is true and accurate to the best of our knowledge. While our technical personnel will be happy to respond to questions regarding safe handling and use procedures, safe handling and use remains the responsibility of the user. No suggestions for use are intended as, and nothing herein shall be construed as a recommendation to infringe any existing patents or violate any federal, state or local laws, rules, regulations or ordinances.
